



FICAM W, FICAM W

Version 1 / GB
102000025317

1/10

Revision Date: 11.12.2014
Print Date: 06.01.2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name FICAM W, FICAM W

Product code (UVP) 80231598

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone 00800-1214 9451

Telefax +44(0)1223 426240

Responsible Department Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no. 0800-220876 (UK 24 hr)

+44(0)1635-563000 (Overseas 24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 2
H300 Fatal if swallowed.

Acute toxicity: Category 2
H330 Fatal if inhaled.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

T Toxic, R23/25

N Dangerous for the environment, R50/53

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

**FICAM W, FICAM W**Version 1 / GB
102000025317

2/10

Revision Date: 11.12.2014
Print Date: 06.01.2015

- Bendiocarb

**Signal word:** Danger**Hazard statements**

H300 Fatal if swallowed.
 H330 Fatal if inhaled.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
 P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

Dust may form explosive mixture in air.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Wettable powder (WP)
 Bendiocarb 80,0 % w/w

Hazardous components

R-phrases according to EC directive 67/548/EEC
 Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. / EC-No.	Classification		Conc. [%]
		EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Bendiocarb	22781-23-3 245-216-8	T; R23/25 Xn; R21 N; R50/53	Acute Tox. 3, H331 Acute Tox. 3, H301 Acute Tox. 3, H311 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	80.00
Naphthalenesulfonic acid, butyl-, Me derivs, sodium salts	68909-83-1 272-716-3	Xi; R36	Eye Irrit. 2, H319	> 1.00 – < 5.00
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5 614-476-8	Xi; R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	> 1.00 – < 5.00

**FICAM W, FICAM W**Version 1 / GB
102000025317

3/10

Revision Date: 11.12.2014

Print Date: 06.01.2015

Silica, amorphe	7631-86-9 231-545-4	Not classified	Not classified	> 1.00
-----------------	------------------------	----------------	----------------	--------

Further information

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

General advice	Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move the victim to fresh air and keep at rest. Call a physician or poison control center immediately.
Skin contact	Immediately wash with plenty of soap and water for at least 15 minutes. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Keep at rest. Rinse mouth. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.) Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Local:, The product causes irritation of eyes, skin and mucous membranes. Systemic:, Bradycardia, Sweating, Convulsions, Nausea, Lachrymation, Salivation, Vomiting, Diarrhoea, Miosis, Hypotension, Bronchial hypersecretion, Myoclonus, Respiratory paralysis, Somnolence, Coma, Respiratory failure, Hypothermia, Fibrillation, Spasm
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	This product is a cholinesterase inhibitor carbamate.
Treatment	Local treatment: Initial treatment: symptomatic. Systemic treatment: Initial treatment: symptomatic. In case of ingestion a gastric lavage within the first hour after ingestion and after intubation only with consecutive application of activated charcoal and sodium sulphate should be performed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. Keep respiratory tract clear. Oxygen or artificial respiration if needed. The following antidotes are generally accepted: atropin and oximes. Recovery is spontaneous and without sequelae.



FICAM W, FICAM W

Version 1 / GB
102000025317

4/10

Revision Date: 11.12.2014
Print Date: 06.01.2015

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire., In common with all other methyl carbamates, bendiocarb will liberate strongly lachrymatory and very toxic methyl isocyanate when heated above its decomposition temperature which for bendiocarb is > 125 deg C. Methyl isocyanate has a very low flash point and will be readily consumed in a fire. Since methyl isocyanate readily decomposes in contact with water, all decompositions are best extinguished with water.

5.3 Advice for firefighters

Special protective equipment for fire-fighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep people away from and upwind of spill/leak. Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect and transfer the product into a properly labelled and tightly closed container. Clean floors and contaminated objects with plenty of water.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

**FICAM W, FICAM W**Version 1 / GB
102000025317

5/10

Revision Date: 11.12.2014

Print Date: 06.01.2015

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Avoid dust formation. Ensure adequate ventilation.

Advice on protection against fire and explosion Dust may form explosive mixture in air.

Hygiene measures When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

7.3 Specific end uses Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Bendiocarb	22781-23-3	0.2 mg/m ³ (TWA)		OES BCS*
Silica, amorphe (Inhalable dust.)	7631-86-9	6 mg/m ³ (TWA)	12 2011	EH40 WEL
Silica, amorphe (Respirable dust.)	7631-86-9	2.4 mg/m ³ (TWA)	12 2011	EH40 WEL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Wear a compressed air respirator (continuous flow) conforming to European norm EN14594 or EN14563-1 or equivalent or an organic gas and vapour filter mask (protection factor 20) conforming to EN136 Type A filter or equivalent.

Respiratory protection should only be used to control residual risk of

**FICAM W, FICAM W**Version 1 / GB
102000025317

6/10

Revision Date: 11.12.2014

Print Date: 06.01.2015

short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 6 suit.
If there is a risk of significant exposure, consider a higher protective type suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	WP-SB: powder in water soluble film bags
Colour	beige
Odour	weak, characteristic
Minimum ignition energy	< 3 mJ
Lower explosion limit	30 g/m ³
Dust explosion class	St2 (Strongly explosible)
Water solubility	miscible
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

**FICAM W, FICAM W**Version 1 / GB
102000025317

7/10

Revision Date: 11.12.2014

Print Date: 06.01.2015

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (rat) 50 mg/kg
Acute inhalation toxicity	LC50 (rat) 0.313 mg/l Exposure time: 6 h
Acute dermal toxicity	LD50 (rat) > 2,000 mg/kg
Skin irritation	No skin irritation (rabbit)
Eye irritation	No eye irritation (rabbit)
Sensitisation	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

Assessment repeated dose toxicity

Bendiocarb caused reversible cholinesterase inhibition without long term effects in animal studies.

Assessment Mutagenicity

Bendiocarb was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Bendiocarb was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Bendiocarb did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Bendiocarb did not cause developmental toxicity in rats and rabbits.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish	LC50 (Cyprinodon variegatus (sheepshead minnow)) 0.86 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.0377 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient bendiocarb.
Toxicity to aquatic plants	EC50 (Pseudokirchneriella subcapitata) 0.408 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient bendiocarb.

12.2 Persistence and degradability

Biodegradability Bendiocarb:
not rapidly biodegradable

Koc Bendiocarb: Koc: 33

12.3 Bioaccumulative potential

Bioaccumulation Bendiocarb: Bioconcentration factor (BCF) 6.0
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Bendiocarb: Mobile in soils

**FICAM W, FICAM W**Version 1 / GB
102000025317

8/10

Revision Date: 11.12.2014
Print Date: 06.01.2015**12.5 Results of PBT and vPvB assessment**

PBT and vPvB assessment Bendiocarb: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.
Add washings to sprayer at time of filling.
Dispose of empty and cleaned packaging safely.
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.
Return large containers to supplier.
Follow advice on product label and/or leaflet.

Waste key for the unused product **020108** agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION**ADR/RID/ADN**

14.1 UN number	2757
14.2 Proper shipping name	CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	II
14.5 Environm. Hazardous Mark	YES
Hazard no.	60
Tunnel Code	D/E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	2757
14.2 Proper shipping name	CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	II
14.5 Marine pollutant	YES



FICAM W, FICAM W

Version 1 / GB
102000025317

9/10

Revision Date: 11.12.2014
Print Date: 06.01.2015

IATA

14.1 UN number	2757
14.2 Proper shipping name	CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	II
14.5 Environm. Hazardous Mark	NO

UK 'Carriage' Regulations

14.1 UN number	2757
14.2 Proper shipping name	CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	II
14.5 Environm. Hazardous Mark	YES
Emergency action code	2X

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)

Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999



FICAM W, FICAM W

Version 1 / GB
102000025317

10/10

Revision Date: 11.12.2014
Print Date: 06.01.2015

Further information

WHO-classification: II (Moderately hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of R-phrases mentioned in Section 3

R21	Harmful in contact with skin.
R23/25	Toxic by inhalation and if swallowed.
R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Text of the hazard statements mentioned in Section 3

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 453/2010.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.